



eco industry



D728/D739 eco line

μ μ - (RELAXOMATIC) μ
 μ μ μ 63 μ μ μ μ
 μ
 μ - μ -
 μ : 101-125
 : μ μ





D842 profi line



μ μ μ μ - (SYNCHRON MECHANISM)
 45 100 .
 μ μ μ μ 63 μ μ
 μ μ μ
 μ - μ -
 μ : 113-125
 : μ μ
 5





MITO LIGHT

3 Jahre
Garantie



EN
1335



μ μ (PERMANENT CONTACT)
5 μ .
μ μ μ 65 μ μ
μ μ
μ μ 5 μ
μ : 109-121
: μ μ

5





MITO CLASSIC

μ POINT SYNCHRON μ
5 μ .
μ μ μ μ 65 μ μ -
μ μ 3
μ - μ -
μ μ -
μ : 116-128
: μ μ





C5000

μ PERMANENT CONTACT
 MULTIBLOCK SYNCHRO

μ μ μ μ μ 62

μ μ

μ -

μ : 115-123

: μ μ

C5001

μ PERMANENT CONTACT
 MULTIBLOCK SYNCHRO

μ μ μ μ μ 62

μ μ

μ -

μ : 101-109

: μ μ



C5012V

μ μ

μ latex ()

: μ μ

: 95 62 65



P4031Y

μ
 μ μ μ 63
 μ -
 : 50 46
 : μ μ

C5010D

μ μ -
 μ μ μ μ 62
 μ μ
 μ -
 μ : 101-109
 : μ μ



C5003

μ μ
 : μ μ
 : 85 58 58



P3310Y

μ
 μ μ μ 63

μ - μ -
 : 50 45
 : μ μ

P3311Y

μ
 μ μ μ 63

μ - μ -
 : 42 45
 : μ μ



P315Y

μ
 μ μ μ 63

μ - μ -
 : 50 45
 : 80
 : μ μ



P112 - P112TA

μ μ
 ()
 : μ μ
 : 82 57 75
 μ () μ



BRIT

μ μ
 μ (μ)
 - pvc
 : 82 52 56

μ
 μ (μ)
 - pvc
 2, 3 4
 : 83 104 (2) 57
 156 (3)
 210 (4)

